

兔抗 CDC6 多克隆抗体

中文名称：兔抗 CDC6 多克隆抗体

英文名称：Anti-CDC6 rabbit polyclonal antibody

别名：CDC18L, HsCDC6, HsCDC18

相关类别：一抗

抗原：CDC6

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is highly similar to <i>Saccharomyces cerevisiae</i> Cdc6, a protein essential for the initiation of DNA replication. This protein functions as a regulator at the early steps of DNA replication. It localizes in cell nucleus during cell cycle G1, but translocates to the cytoplasm at the start of S phase. The subcellular translocation of this protein during cell cycle is regulated through its phosphorylation by Cdks. Transcription of this protein was reported to be regulated in response to mitogenic signals through transcriptional control mechanism involving E2F proteins.
Applications:	ELISA, WB, IHC
Name of antibody:	CDC6

Immunogen:	Synthetic peptide of human CDC6
Full name:	cell division cycle 6
Synonyms:	CDC18L; HsCDC6; MGORS5; HsCDC18
SwissProt:	Q99741
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human breast cancer and Human colon cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	63 kDa
WB Positive control:	K562 and 293T cells
WB Recommended dilution:	200-1000



