

兔抗 CELSR3 多克隆抗体

中文名称：兔抗 CELSR3 多克隆抗体

英文名称：Anti-CELSR3 rabbit polyclonal antibody

别名：FMI1; EGFL1; HFMI1; MEGF2; CDHF11; RESDA1

抗原：CELSR3

储存：冷冻（-20℃）避光

宿主：Rabbit

反应种属：Human

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene belongs to the flamingo subfamily, which is included in the cadherin superfamily. The flamingo cadherins consist of nonclassic-type cadherins that do not interact with catenins. They are plasma membrane proteins containing seven epidermal growth factor-like repeats, nine cadherin domains and two laminin A G-type repeats in their ectodomain. They also have seven transmembrane domains, a characteristic feature of their subfamily. The encoded protein may be involved in the regulation of contact-dependent neurite growth and may play a role in tumor formation.
Applications:	IHC, IF
Name of antibody:	CELSR3

Immunogen:	Synthesized peptide derived from internal of human CE LSR3.
Full name:	cadherin, EGF LAG seven-pass G-type receptor 3
Synonyms :	FMI1; EGFL1; HFMI1; MEGF2; CDHF11; RESDA1
SwissProt:	Q9NYQ7
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
IF positive control:	HepG2 cells
IF Recommend dilution:	100-500



