

## 兔抗 HNRNPM 多克隆抗体

中文名称: 兔抗 HNRNPM 多克隆抗体

英文名称: Anti-HNRNPM rabbit polyclonal antibody

别 名: CEAR; HNRPM; HTGR1; NAGR1; HNRPM4; HNRNPM4; hnRNP M

相关类别: 一抗

抗 原: HNRNPM

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

This gene belongs to the subfamily of ubiquitously exp ressed heterogeneous nuclear ribonucleoproteins (hnRN Ps). The hnRNPs are RNA binding proteins and they co mplex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and oth er aspects of mRNA metabolism and transport. While a ll of the hnRNPs are present in the nucleus, some see m to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM domains that bind to RNAs. This



## 全国订货电话 4008-723-722

	protein also constitutes a monomer of the N-acetylgluc osamine-specific receptor which is postulated to trigger selective recycling of immature GlcNAc-bearing thyroglo bulin molecules. Alternative splicing results in multiple t ranscript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	HNRNPM
Immunogen:	Synthetic peptide of human HNRNPM
Full name:	heterogeneous nuclear ribonucleoprotein M
Synonyms :	CEAR; HNRPM; HTGR1; NAGR1; HNRPM4; HNRNPM4; hnrnpm4; h
SwissProt:	P52272
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human ovarian cancer and Human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	78 kDa
WB Positive control:	293T, hela and A172 cell
WB Recommended dilution:	200-1000







