

## 兔抗 HSD17B8 多克隆抗体

中文名称：兔抗 HSD17B8 多克隆抗体

英文名称：Anti-HSD17B8 rabbit polyclonal antibody

别名：KE6; FABG; HKE6; FABGL; RING2; H2-KE6; SDR30C1; D6S2245E; dJ1033B10.9

相关类别：一抗

抗原：HSD17B8

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	In mice, the Ke6 protein is a 17-beta-hydroxysteroid dehydrogenase that can regulate the concentration of biologically active estrogens and androgens. It is preferentially an oxidative enzyme and inactivates estradiol, testosterone, and dihydrotestosterone. However, the enzyme has some reductive activity and can synthesize estradiol from estrone. The protein encoded by this gene is similar to Ke6 and is a member of the short-chain dehydrogenase superfamily. An alternatively spliced transcript of this gene has been detected, but the full-length nature of this variant has not been determined.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	HSD17B8
<b>Immunogen:</b>	Fusion protein of human HSD17B8
<b>Full name:</b>	hydroxysteroid (17-beta) dehydrogenase 8

<b>Synonyms :</b>	KE6; FABG; HKE6; FABGL; RING2; H2-KE6; SDR30C1; D6S2245E; dJ1033B10.9
<b>SwissProt:</b>	Q92506
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human liver cancer
<b>IHC Recommend dilution:</b>	50-200
<b>WB Predicted band size:</b>	27 kDa
<b>WB Positive control:</b>	Human testis tissue
<b>WB Recommended dilution:</b>	500-2000



