

兔抗 MED23 多克隆抗体

中文名称：兔抗 MED23 多克隆抗体

英文名称：Anti-MED23 rabbit polyclonal antibody

别名：mediator complex subunit 23 SUR2; CRSP3; MRT18; SUR-2; ARC130; CRSP130; CRSP133; DRIP130

相关类别：一抗

储存：冷冻（-20℃）

抗原：MED23

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The activation of gene transcription is a multistep process that is triggered by factors that recognize transcriptional enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor (TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors and cofactors. This protein also acts as a

	metastasis suppressor. Several alternatively spliced transcript variants encoding different isoforms have been described for this gene.
Applications:	ELISA, IHC
Name of antibody:	MED23
Immunogen:	Synthetic peptide of human MED23
Full name:	mediator complex subunit 23
Synonyms:	SUR2; CRSP3; MRT18; SUR-2; ARC130; CRSP130; CRSP133; DRIP130
SwissProt:	Q9ULK4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer;
IHC Recommend dilution:	30-150

