

## 兔抗 SPINK7 多克隆抗体

中文名称: 兔抗 SPINK7 多克隆抗体

英文名称: Anti-SPINK7 rabbit polyclonal antibody

别名: ECG2; ECRG2

抗原: SPINK7

储存: 冷冻 (-20℃)

宿主: Rabbit

相关类别: 一抗

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

#### Background:

SPINK7 (serine peptidase inhibitor, Kazal type 7), also known as Ecg2 (esophagus cancer-related gene 2 protein), is a 76 amino acid secreted protein. Containing one Kazal-like domain, SPINK7 is thought to be a serine protease inhibitor. The gene that encodes SPINK7 maps to human chromosome 5, which contains 181 million base pairs encoding around 1,000 genes. Chromosome 5 is associated with Cockayne syndrome through the ERCC8 gene and familial adenomatous polyposis through the adenomatous polyposis coli (APC) tumor suppressor gene. Treacher Collins syndrome is also chr

	omosome 5 associated and is caused by insertions or deletions within the TCOF1 gene. Deletion of the p arm of chromosome 5 leads to Cri du chat syndrome. Deletion of 5q or chromosome 5 altogether is common in therapy-related acute myelogenous leukemias and myelodysplastic syndrome. Probable serine protease inhibitor.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	SPINK7
<b>Immunogen:</b>	Synthetic peptide of human SPINK7
<b>Full name:</b>	serine peptidase inhibitor, Kazal type 7 (putative)
<b>Synonyms :</b>	ECG2; ECRG2
<b>SwissProt:</b>	P58062
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human prostate cancer and Human lung cancer
<b>IHC Recommend dilution:</b>	25-100



